MISCELLANEOUS DEPARTMENTS.

EXHIBITION COMMITTEE.

Notice.

Applications for running an Indian Restaurant or European Restaurant in the Exhibition Grounds for one month from the beginning of October will be received by the Secretary Exhibition Committee on or before the 1st September 1928.

The applications should be sent by registered post and be accompanied by a cash deposit of Rs. 50 as earnest money which will be returned in the case of those whose applications are not accepted

A schedule of rates for the various kinds of refreshments and meals should accompany each application.

Final acceptance of the application will rest with the Chairman who reserves the right to accept or reject any application without assigning reasons therefor.

The successful applicant should execute a bond that he would sell wholesome foodstuffs prepared in unadulterated ghee at the rates approved by the Committee and would abide by certain other conditions mentioned in the bond.

K. ANANTASWAMY RAO,
Secretary, Exhibition Committee,

AUCTION SALE NOTICE.

Dated 7th August 1928.

In accordance with section 40 of the Mysore Railways Regulation No. 4 of 1894, all unclaimed and lost properties in possession of the Railway Administration, over six months' old, will be disposed of by Public Auction, on Sunday the 2nd September 1928, *from 9 a.m.*, in the *Mysore Station* premises by the Railway Auctioneer.

The list of such articles may be seen in the Lost Property Office, Mysore.

2. The Auctioneer does not bind himself to accept the highest or any bid at all and it is open to him to cancel the auction for reasons found sufficient by him.

3. The highest bidder whose bid is accepted should pay the full amount soon after the auction is closed and must arrange to remove the articles immediately failing which they will be *re-auctioned* at his risk.

A. A. KHAN,
Traffic Manager.

GOVERNMENT OF MYSORE, ELECTRICAL DEPARTMENT.

Dated 11th August 1928.

Attention of the public is invited to the detailed notification published in the *Mysore Gazette*, dated the 23rd August 1928, Part VI, page 846, inviting tenders for the purchase of about 8 tons of copper scrap and about 1,000 steel drums of 45 gallons capacity. Tenders should reach the office of the undersigned on or before 12 NOON of the 10th September 1928. Earnest money required is Rs. 100. Copies of the notification will be sent on application.

C. M. CARIAPPA,
Offg. *Chief Electrical Engineer.*

MYSORE POWER AND LIGHTING.

Notification dated 24th August 1928.

NOTIFICATION OF TENDERS.

Notice is hereby given that sealed tenders will be received in the Office of the Superintendent, Power and Lighting, Mysore by 2 P.M. on the 15th September 1928 for (1) extending and constructing verandah round the Office of the Superintendent, Power and Lighting, Mysore, and (2) for constructing a work shop for M. P. L. section at Mysore. An approximate estimate of the quantities is given below. These quantities are not guaranteed. The works should be completed within 4 and 6 months respectively.

2. The plans, detailed estimates and conditions may be seen at the Office of the Superintendent, Power and Lighting, Mysore, between the hours of 11 A.M. and 5 P.M. on all office days.

3. Tenders should be accompanied by a statement in the form annexed showing the rates in words and figures at which the different items will be executed.

4. Tenders will be opened at 2 P.M. on the 18th September 1928.

5. Percentages less than or above estimated rates will not be accepted.

6. Each tender must be accompanied by a deposit of Rs. 400 and Rs. 500 respectively in cash or in Government Promissory Notes as earnest money and be superscribed as "Tender for extending and constructing verandah round the office of the Superintendent, M. P. L." "Tender for constructing a Work Shop for M. P. L. Section" separately.

7. The final acceptance of any tender for item No. 1 will rest with the Superintendent and for item No. 2 with the Chief Electrical Engineer, who do not bind themselves to accept the lowest or any tender or to assign any reason what ever for the rejection of any tender.

8. Within 8 days of the acceptance of the tender, the successful tenderer will be required to execute the usual contract bonds in default of which his tender will be considered as cancelled and his earnest money will be forfeited.

9. The name of the successful competitor whose tender has been accepted will be posted on the Notice Board in the Superintendent's Office in due course.

10. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

11. On acceptance of one of the tenders, the earnest money on rejected tenders will be refunded.

12. The construction work should be started with in a fortnight at least from the date of notification of the acceptance.

13. Specifications for work or those recognised by the Mysore Public Works Department and Marryot's specification.

14. Water for the construction should be got at the contractor's own expense.

15. The contractor should bind himself by the conditions of the schedule of contract of the Electrical Department.

(1).

Statement showing approximate quantities for extending and constructing verandah around the Office of the Superintendent, M. P. L. :—

Particulars	Quantity	Per unit	Rate
1. Earthwork excavation and filling in basement including a lead of 50 ft. and disposing off the extra earth in the compound.	88	C.yd.	
2. (*a*) Concrete stone jelly in lime mortar for foundation 2 of jelly broken and 1 of mortar.	856	C.ft.	
(*b*) Stone (size) in lime mortar foundation and basement.	1995	"	
(*c*) Burnt brick in mortar superstructure ...	1098	"	
(*d*) Burnt brick in lime mortar arch work including centring.	201	"	
(*e*) Burnt brick in line pillars 1 1/8′×1 1/8′×7½′ plastering, etc., complete as per drawing.	26	No.	
(*f*) Burnt stone slabs 6″ thick exposed parts one line dressed and set in mortar.	63	S.ft.	
(*g*) Burnt stone slabs 3″ to 4″ thick dressed and fixed in mortar complete.	26	"	
(*h*) Dismantling old strips and fixing the same in new positions with foundation and basement.	3	No.	
(*i*) Chunam plastering two coats	27·63	Sqrs.	
(*j*) Chunam pointing with thread lines	4·80	"	
(*k*) White and colour washing two coats	32·43	"	
(*l*) Chunam patty or border 6″×3″ complete ...	359	R.ft.	
(*m*) Removing windows and inserting doors with sides chunam plastered, etc., complete.	3	No.	

Particulars	Quantity	Per unit	Rate
(*n*) Digging old walls and fixing windows with semi-circular tops including lintal slabs and filling in spandrills complete at points marked B *vide* drawing.	2	No.	
(*o*) Inserting one window available in new masonry ...	1	,,	
(*p*) Inserting bond stones in joining old and new walls and in foundation 2′×1′×6′.	26	Nos.	
2. Digging walls for inserting T. W. brackets and also for insertion of verandah roofs in the wall.	1	No.	
3. Flooring with 1½″ cuddapah slabs on 3″ lime stone concrete and cement pointing.	22·23	Sqrs.	
4. (*a*) Roofing with first class Mangalore tiles on 2″×1″ teak reepers including wood oiling two coats to reepers.	32·20	,,	
(*b*) Remodelling old and new roofs	1	No.	
(*c*) Ridge tiles set in mortar	43	R.ft.	
(*d*) Ventilating tiles set in mortar	6	No.	
5. (*a*) Teakwood work with wood oiling two coats ...	186·12	C.ft.	
(*b*) Teakwood door pannelled 1½″ thick shutters frames 3½″ ×4″ with hinges bolts, etc., including tarring to frames as per existing doors, complete.	288·00	S.ft.	
(*c*) Teak wood window glazed 1¼″ thick shutters with hinges, etc., frames 4″×5″ with iron bars ¾″ dia. including tarring to frames as per existing work complete.	198	,,	
(*d*) Teakwood glazed semi-circular fan lights 1½″ thick shutters complete as per existing work.	127	,,	
(*e*) Teakwood ornamental eave boarding 9″×¾″ including finials and terminals as per existing work.	340	R.ft.	
(*f*) Fixing old eave board with new rails	48	,,	
(*g*) Painting with two coats silicate paints ..	14·85	Sqrs.	
6. Finishing the ends of building and round doors and windows with quoins in mortar complete as per existing work.	410	R.ft.	
7. Forming valleys with G. I. Sheet 24 B. W. G. 2 feet wide with teak wood planks 1 inch thick with cement, etc., complete.	30	R.ft.	

II

Statement showing approximate quantities for constructing a Work shop in the premises of the Mysore Power and Lighting Office at Mysore.

1. (*a*) Earth-work excavation ordinary and gravelly soil and filling in basement including disposal of extra earth in the compound.	178	C.yds.	
(*b*) Levelling ground to facilitate drainage ..	Lump sum		
2. (*a*) Concrete stone jelly in mortar, foundation and basement.	1,163	C.ft.	
(*b*) Coursed rubble stone masonry in mortar foundation and basement.	2,399	,,	
(*c*) Burnt brick in mortar superstructure	5,297	,,	
(*d*) Burnt brick in mortar arch work with centring ...	378	,,	
(*e*) Stone slabs 6 thick one line dressed	169	S.ft.	
(*f*) Chunam pointing with lining	2·90	Sqrs.	
(*g*) Chunam plastering two coats	79·30	,,	
(*h*) White and colour washing two coats	82·20	,,	
(*i*) Brick cornice 9″ projection complete	68	R.ft.	
(*j*) Binding wall 1½′x1½′ brick in mortar and chunam plastered.	147	,,	
3. (*a*) Cuddapah slab 1½″ thick flooring on 6″ stone jelly concrete and cement pointing complete.	25·00	Sqrs.	
(*b*) Gravel and cinder flooring 9″ thick	10·00	,,	

	Particulars	Quantity	Per unit	Rate
4.	(a) Roofing with 24 B. W. G. corrugated G. I. sheets with galvanised screws, bolts washers, sheets to overlap 1″ at ends and two corrugations at sides complete.	46·20	Sqrs.	
	(b) Ridge sheeting 24 B. W. G., G. I. sheeting 2′ wide to overlap 9″ at ends fixed complete with G. I. bolts, nuts and lead washers.	83	R.ft.	
	(c) T. W. panelled doors 2″ shutters with fixtures etc., complete.	180	S.ft.	
	(d) T. W. windows with glazed shutters 1¼″ thick and expanded metal netting on the out side (1½″x¾″x 3/8) complete.	504	,,	
	(e) Teak wood glazed circular ventilators 1¼″ shutters, etc.	14	,,	
	(f) Fixing iron clamps to doors and windows 12″x2″x¼″	40	No.	
9.	Constructing " U " shaped drain 9″x9″ with brick jelly in surki mortar concrete and ½″ thick cement plastering.	300	R.ft.	

C. SITARAMIAH,
Superintendent,
Mysore Power and Lighting

MYSORE RAILWAYS.

MYSORE DIVISION (OPEN LINES).

Notification dated 20th August 1928.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Open Line Division, Mysore Railways, Mysore, up to 2 P.M., on the 25th September 1928, from contractors who are willing to undertake the construction of new Indian Refreshment Room at Maddur.

2. Every tender should be accompanied by an earnest money of Rs. 100, which can be paid either in currency notes to the Executive Engineer, Mysore Railways, Mysore along with the tender; or can be paid to the Auditor, Mysore Railways, Mysore, and the receipt thereof enclosed along with the tender. Such of the tenderers who pay the amount to the Auditor should advice him that the amount is paid on account of a tender for the construction of new Indian Refreshment Room at Maddur.

(a) Tenders should be submitted in special forms which can be obtained from the Executive Engineer, Mysore Railways, Mysore, on payment of Re. 1.

3. The earnest money of the unsuccessful tenderers will be returned as soon as possible after the tenders are disposed of.

4. Tenders which are not accompanied with the earnest money specified in para 2, will not be considered.

5. The successful tenderer should execute within a week from the date of notification of acceptance of his tender, the usual Railway Schedule Agreement Failure to comply with this condition will render the tenderer liable for forfeiture of the earnest money

6. The name of the accepted tenderer will be posted on the Notice Board of the Executive Engineer's Office. No. enquiries regarding the acceptance or rejection of a tender will be replied.

7. The final acceptance of the tender will rest with the Agent, Mysore Railways, Mysore, who does not bind himself to accept the lowest or any tender and who further reserves to himself the right to reject, without assigning any reason therefor, any or all the tenders.

8. Work should be started within a week from the date of acceptance of tender, and a uniform monthly rate of progress should guaranteed. The work agreed on should be completed in eight months from date of starting. The accompanying Schedule gives the approximate quantity of work and this quantity is not guaranteed.

9. The time limit specified in para 8 should be strictly adhered to and any violation of this will render the contractor liable to forfeit his 5 per cent deposit amount under Clause No. 10 of the Schedule Agreement, not as a penalty but as ascertained and liquidated damages recoverable accordingly

10. Plans and specifications and other details of work to be done are available for inspection in the Executive Engineer's Office, Mysore Railways, Mysore, where intending tenderers may call and obtain required information during office hours.

11. In all matters of dispute regarding rates, measurements, quality of work, etc., and in all disputes of any kind, the decision of the Engineer-in-Chief will be final and legally binding.